

HCIBench Report

Test Case Name: fio-8vmdk-100ws-4k-100rdpct-100randompct-4threads-1675286861

Report Date: 2023-02-01 23:01:59 +0000

Generated by: [HCIBench 2.8.0](#)

Performance Results

Datstore: vsanDatastore

```
=====
JOB_NAME: job0
Number of VMs: 12
I/O per Second: 56653.00 IO/S
Throughput: 221.00 MB/s
Read Latency: 6.77 ms
Write Latency: 0.00 ms
95th Percentile Read Latency: 16.00 ms
95th Percentile Write Latency: 0.00 ms
=====
```

Resource Usage

Cluster	cpu.usage	cpu.utilization	mem.usage
VSAN8-Cluster	95.91%	96.07%	88.41%

Performance Charts



Fio IOPS



	min	max	avg current
hci-fio-datastore-1024-0-1	3.67 K	5.84 K	4.95 K
hci-fio-datastore-1024-0-2	2.88 K	5.61 K	4.37 K
hci-fio-datastore-1024-0-3	3.30 K	5.61 K	4.40 K
hci-fio-datastore-1024-0-4	2.97 K	5.87 K	5.10 K

Fio Throughput



	min	max	avg current
hci-fio-datastore-1024-0-1	0 kB/s	23.4 MB/s	19.6 MB/s
hci-fio-datastore-1024-0-2	11.5 MB/s	22.4 MB/s	17.5 MB/s
hci-fio-datastore-1024-0-3	0 kB/s	22.4 MB/s	17.6 MB/s
hci-fio-datastore-1024-0-4	11.9 MB/s	23.5 MB/s	20.4 MB/s

Fio Read Latency



	min	max	avg	current
hci-fio-datastore-1024-0-1	0 ns	8.69 ms	4.44 ms	
hci-fio-datastore-1024-0-2	0 ns	8.16 ms	4.73 ms	
hci-fio-datastore-1024-0-3	0 ns	9.68 ms	4.87 ms	
hci-fio-datastore-1024-0-4	0 ns	8.51 ms	4.27 ms	

Fio Write Latency



	min	max	avg	current
hci-fio-datastore-1024-0-1	0 ns	0 ns	0 ns	
hci-fio-datastore-1024-0-2	0 ns	0 ns	0 ns	
hci-fio-datastore-1024-0-3	0 ns	0 ns	0 ns	
hci-fio-datastore-1024-0-4	0 ns	0 ns	0 ns	

Read 95th Percentile Latency




	min	max	current
hci-fio-datastore-1024-0-1	0 ns	21.10 ms	
hci-fio-datastore-1024-0-2	0 ns	19.79 ms	
hci-fio-datastore-1024-0-3	0 ns	25.30 ms	
hci-fio-datastore-1024-0-4	0 ns	21.10 ms	

Write 95th Percentile Latency



	min	max	current
hci-fio-datastore-1024-0-1	0 ns	0 ns	
hci-fio-datastore-1024-0-2	0 ns	0 ns	
hci-fio-datastore-1024-0-3	0 ns	0 ns	
hci-fio-datastore-1024-0-4	0 ns	0 ns	



Dashboards Links

- [Fio Benchmark Dashboard in Grafana](#)
- [vSAN Performance Stats in Grafana](#)
- [vSAN Performance Service Dashboard in vCenter](#)

HCIBench Configurations

vCenter IP/Hostname: vmw-vc02.aitn.local
Datacenter Name: HomeLab
Cluster Name: VSAN8-Cluster
Network Name: VMs_VLAN101
Use Internal Static IP: false
Reuse Existing VMs: true
Datastore Name: vsanDatastore
Directly Deploy on Hosts: false
Easy Run: true
Easy Run Workloads: 4k70r
4k100r
8k50r
256k0r
Storage Policy Name: Datastore Default Policy
Guest VM Name Prefix: hci-fio
Clear Read/Write Cache/Buffer Before Test: false
vSAN Debug Mode: true
Number of Guest VMs: 12
Number of vCPU per VM: 4
Size(GB) of RAM per VM: 8
Number of Data Disk per VM: 8
Size of Data Disk in GB: 1
multi_writer: false
Workload Parameter File Source: /opt/tmp/tmp1675280261
Test Name: easy-run-1675280261
Virtual Disk Preparation Method: RANDOM
Tool to Use: fio
Delete Guest VMs after Testing: false

vSAN Configurations

Local vSAN Datastore Name: vsanDatastore
vSAN ESA Enabled: True
vSAN Type: Single Tier Storage Pool
Number of Hosts: 3
Number of Disks in the Storage Pool: 6
Space Efficiency: Compression Only
Data At-Rest Encryption: false
Data In-Transit Encryption: false
Fault Tolerance Preference: RAID-1(Mirroring)-Performance
Host Primary Fault Tolerance: 1
Host Secondary Fault Tolerance: 0
Checksum Disabled: False

Capacity: 1564 GB
Freespace: 1372 GB
Local: 'True'

=====

Cluster Hosts Map

VSAN8-Cluster:
- esxi8-01.aitn.local
- esxi8-02.aitn.local
- esxi8-03.aitn.local

Benchmark Tool Configurations

```
; Auto generated FIO parameter file
; block_size: 4k
; testing_time: 3600
; warmup_time: 1800
; nb_disks: 8
; io_rate: None
; read_pct: 100
; random_pct: 100
; working_set: 100
; nb_threads: 4
```

```
[global]
runtime=3600
time_based=1
ramp_time=1800
direct=1
buffered=0
fsync=0
readwrite=randread
random_generator=tausworthe64
blocksize=4K
ioengine=libaio
group_reporting
lat_percentiles=1
continue_on_error=all
```

```
[[job0]
filename=/dev/sda
size=100%
iodepth=4
```

```
[[job1]
filename=/dev/sdb
size=100%
iodepth=4
```

```
[[job2]
filename=/dev/sdc
size=100%
iodepth=4
```

```
[[job3]
filename=/dev/sdd
size=100%
iodepth=4
```

```
[[job4]
filename=/dev/sde
```

size=100%
iodepth=4

[job5]
filename=/dev/sdf
size=100%
iodepth=4

[job6]
filename=/dev/sdg
size=100%
iodepth=4

[job7]
filename=/dev/sdh
size=100%
iodepth=4